



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/495,552	02/01/2000	Robert L. Thornton	SIROS-99027A	5007

7590

01/27/2003

Robert C Hall
Serra Patent Group Ltd
P O Box 6149
Stateline, NV 89449

EXAMINER

LE, KIMLIEN T

ART UNIT

PAPER NUMBER

2653

DATE MAILED: 01/27/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

20

Art Unit: 2653

DETAILED ACTION

The reply filed on 12-05-02 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicants did not identify the claims readable on the elected species. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).


Point of Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimlien T Le whose telephone number is 703 305 3498. The examiner can normally be reached on M-F 8a.m-5p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Korzuch William can be reached on 703 305 6137. The fax phone numbers for the organization where this application or proceeding is assigned are 703 872 9314 for regular communications and 703 872 9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 305 3900.

Kimlien Le
January 23, 2003


WILLIAM KORZUCH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600